

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/420,965	10/20/1999	ELLEN M. HEATH	1074.010US1	3488
7:	590 10/15/2002			
Daniel J. Polglaze Fogg Slifer & Polglaze, P.A. P.O. Box 581009			EXAMINER	
			GORDON, BRIAN R	
Minneapolis, MN 55458-1009			ART UNIT	PAPER NUMBER
			1743	17
			DATE MAILED: 10/15/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

•		72-17			
	Application No.	Applicant(s)			
	09/420,965	HEATH ET AL.			
Office Action Summary	Examiner	Art Unit			
	Brian R. Gordon	1743			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status					
1) Responsive to communication(s) filed on 11 J	<u>uly 2002</u> .				
2a)⊠ This action is FINAL . 2b)□ Thi	is action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims					
4)⊠ Claim(s) <u>1-9,12 and 18-22</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-9,12 and 18-22</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement				
Application Papers					
9)⊡ The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accep	oted or b)□ objected to by the Exar	miner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11)⊠ The proposed drawing correction filed on <u>11 July 2002</u> is: a)⊠ approved b)⊡ disapproved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) All b) Some * c) None of:					
 Certified copies of the priority documents have been received. 					
2. Certified copies of the priority documents have been received in Application No					
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal P	(PTO-413) Paper No(s) atent Application (PTO-152)			

Art Unit: 1743

DETAILED ACTION

Drawings

1. The corrected or substitute drawings were received on July 23, 2002. These drawings are not acceptable (see attached PTO 948).

Response to Arguments

Applicant's arguments filed July 11, 2002 have been fully considered but they are not persuasive. Applicant submits that Laguana Valderrama does not mention that the threaded cap is secured to the vessel when the cap flange and the vessel flange are aligned". The examiner hereby asserts that such a limitation is inherent from the disclosure of Laguana Valderrama, for Valderrama states "The neck 5 of the flask 1 has a thread 9 on the outside, as well as flange 10 beside its mouth, both corresponding threads 11 and peripheral flange 12 on the inside of cap 13." It is clear that the both the threads and flanges are aligned (corresponding) to seal (secure) the assembly to ensure that the contents do not escape.

Applicant attempts to rely on his definition of the word "aligned" to suggest that the instant claims are distinct from the disclosures of the prior art. Applicant states that the flanges of Laguana Valderrama are round and as such there is no mechanism by which the flanges of Laguna Valderrama can be "aligned". The examiner asserts that the "mechanism" mentioned in applicants arguments is irrelevant for the "mechanism" is not an element of the claims and furthermore it is unclear what element of the invention applicant considers to be this "mechanism". As to the flanges being round, this is also not an issue of the claims, for no specific shape is required in the claims. The examiner

Art Unit: 1743

also asserts that the mere fact of both of the flanges being round further suggest that they are aligned when the cap is secured to the vessel.

Applicant states that the claims are to be read in light of the specification. The examiner agrees, however applicant has not specifically recited how the flanges are alingned. Applicant has directed the examiner's attention to specific passages of the specification (page 15, lines 20-21; page 16, lines 17-19; page 17 lines 16-30; and page 18, line 29 – page 19, line 3) in order to indicate that the alignment is of the edges of the flanges. The claims do not mention that the flanges are any particular shape or that they comprise edges. The passage on pages 15, does not mention anything directed to the alignment of the flanges. The passage simply states the cap seals the contents inside the vessel. The passage on pages 16, does not mention anything directed to the alignment of the flanges. The passage simply addresses the use of multiple threads. The passages on page 17-19, mention that the cap flange and vessel flange are aligned but it is not recited that the flanges are aligned in any specific or particular manner. Merriam-Webster's Collegiate Dictionary; 10ed., defines align as: 1. to bring into line or alignment 2. to get or fall into line 3. to be in or come into precise adjustment or correct relative position. According to the definitions, above the examiner asserts that the round flanges of the cap and vessel of Laguna Valderrama are aligned when the vessel is sealed. As such the examiner hereby maintains all of the previous rejections given below and in the previous office action.

Claim Rejections - 35 USC § 102

Art Unit: 1743

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 1 is rejected under 35 U.S.C. 102(b) as being clearly anticipated by Laguamna Valderrama, US 5,811,060.

Laguana Valderrama discloses a flask 1 that has thread 9 on the outside as well as flange 10. The flask can be secured with cap 13 that comprises threads 11 and flange 12.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 5. Claims 2-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laguana Valderrama in view of Long Jr. US 6,059,134.

Laguana Valderrama does not disclose that the vessel and cap have multiple disjointed threads.

Long Jr. discloses a screw-off closure and container that have multiple discontinuous mating threads. As it appears in the figures each thread extends about

Art Unit: 1743

180 degrees around the vessel neck and each thread starts in a location about 90 degrees away from an adjacent thread. The device is manufactured from plastic and more preferably a high density plastic suitable for blow molding of the thread finish. The molding process makes it obvious that the design and location of the threads may be altered as so desired.

The examiner asserts that it would have been obvious to one of the ordinary skill in the art to modify the device by employing the disjoined threaded formation of Long Jr., for it has been disclosed that both single and multiple threads are conventional and well-known in the art for providing a secure attachment of a cap to a vessel. As to the number of threads and the spacing on the cap, it has been disclosed (specification page 12 and cited references, Folchini, Collins, Edwards, and Edwards et al.) that "four-start" threads are also conventional and well known in the art. It is obvious that the spacing of the threads depends on the total number of the threads; therefore, if four threads are to be equally spaced around a 360 degrees perimeter, then each thread would obviously be spaced 90 degrees from an adjacent thread. Although Long Jr. discloses the use of 8 or 9 equally spaced threads, this does not preclude the use of a conventional "fourstart" thread configuration to provide suitable closure means for a cap and vessel assembly. The examiner hereby asserts that the employment of a well-known, "conventional" thread format does not distinguish the claimed invention over the prior art.

Art Unit: 1743

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the device of Laguana Valderrama to include the principles of Long Jr. et al. in order to develop a closure that would indicate tampering of the seal.

12. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Laguana Valderrama in view of Long as applied to claims 2-3 above, and further in view of Burns US 5,288,466.

The modified teachings of Valderrama do not specifically recite the molded material is polypropylene.

Burns discloses a microcollection assembly that is made of a clear molded thermoplastic material such as polyethylene, polypropylene, and polyvinyl chloride, which may be made to be hydrophilic.

It would have been obvious to one of the ordinary skill in the art to further modify the teachings of Valderrama to include the teachings of Burns in order to manufacture a hydrophilic cap and container.

13. Claims 1-9, 12 and 18-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Burns in view of Long Jr.

Burns discloses a microcollection assembly that is made of a clear molded thermoplastic material such as polyethelene, polypropylene, and polyvinyl chloride, which may be made to be hydrophilic.

The microcollection assembly comprises a cap 54 that includes annular flange 61 that aligns with flange 55 that is formed on the outer surface of the container 52.

Burns does not disclose that the cap and container have disjointed threads.

Art Unit: 1743

Long Jr. discloses a snap-on, screw-off closure and container that have multiple discontinuous mating threads. As it appears in the figures each thread extends about 180 degrees around the vessel neck and each thread starts in a location about 90 degrees away from an adjacent thread. The device is manufactured from plastic and more preferably a high density plastic suitable for blow molding of the thread finish. The molding process makes it obvious that the design and location of the threads may be altered as so desired.

Helically extending between first end 14 and the second end 16 of the annular wall 12 are an appropriate number of threads to permit snap-on or screw-on application, preferably eight or nine threads 24 terminating at points 26 and 27 proximate to the first end 14 and second end 16 of annular wall 12, respectively. Preferably, threads 24 are helically spaced in a continuous relationship as shown in FIG. 1 but threads 24 can alternately be discontinuous and can take on any cross-sectional profile suitable for mating with threads 43 on the closure 30 during snap and screw-on application of the closure 30 to the neck finish 10 (column 3, lines 57-67).

It would have been obvious that if the threads of the cap and vessel are manufactured to a certain same length the securing of the vessel will be accomplished when the cap is turned in the direction of applying the cap that certain distance and removing the cap would occur when the cap is turned in the opposite direction that same certain length.

Art Unit: 1743

It would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the device of Burns to include the principles of Long Jr. et al in order develop a closure which would indicate tampering of the seal.

As to claims 4 and 5, it would have also been obvious to manufacture the assembly to include flanges of any shape in the molding process.

As to the method claims 18-22, it would have been obvious that one of the ordinary skill in the art would have recognized that the caps are secured onto the container by placing the cap on the opening and turning the cap in a given direction and removing the cap to remove the contents can be accomplished by turning the cap in the opposite direction and the method can be repeated as so desired.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 1743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian R. Gordon whose telephone number is (703) 305-0399. The examiner can normally be reached on M-F, with 2nd and 4th F off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 703-308-4037. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7719 for regular communications and (703) 305-3014 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

brg October 3, 2002 | Jill Warden Supervisory Patent Examiner Technology Center 1700

Page 9